Author Index

Abu El-Haija, A. J., 267
Aernoudt, E., 115
Ahn, D.-S., 273
Al-Saleh, K. A., 267
Allen, F. S., 247
Anestiev, L. A., 281
Arafah, D. E., 267
Arnberg, L., 101
Avni, R., 237

Backmark, U., 101
Bäckström, N., 101
Barlat, F., 15

Carlson, J. D., 187
Cauwenberg, G., 115
Chang, L., 125
Chu, C. N., 303
Chung, U.-I., 273
Conrad, H., 187
Cowie, J. G., 93

Dannemann, K., 63
Duquette, D. J., 63

Fletcher, A. J., 247

Gan, D., 73, 125
Gibson, L. J., 37, 55
Gomez, E., 225
Grant, N. J., 225
Guimarães, J. R. C., 217
Gurland, J., 151

Halim, N. A., 267
Ho, N. J., 145
Hu, C. T., 167

Inoue, A., 101

Kamal, M. R., 267
Kandil, K. M., 287
Kao, P.-W., 73
Karimi, A., 1
Khalifeh, J. M., 267
King, S., 247
Kotkata, M. F., 287

Landes, J. D., 137
Lavernia, E. J., 225
Lee, J.-Y., 273
Lee, S., 167
Leo, W. R., 1
Li, J. C. M., 175
Liaw, P. K., 137
Lin, K. M., 167

Mallik, A. K., 259
Martz, P., L5
Masumoto, T., 101
Myers, M. R., 81

Nabil Bassim, N., 199
Needham, N. G., 81

Oguchi, M., 101

Padmanabham, R., 295
Papirer, E., L5
Pilkington, R., 81

Reyes, S. J., L1
Richmond, O., 15
Russev, K. A., 281

Sachdev, A. K., 31
Saka, N., 303
Saleh, N. S., 267
Saxena, A., 137
Shabel, B. S., 209
Shea, M. M., 31
Spalvins, T., 237
Sprecher, A. F., 187
Stoloff, N. S., 63
Su, Y. L., 151
Suh, N. P., 303
Suriyayothin, N., 295

Tjong, S. C., 145
Triantafillou, T. C., 37, 55
Tseng, T., 73
Tuler, F. R., 93

Unnikrishnan, K., 259

Van Houtte, P., 115
Varma, S. K., L1
Vianco, P. T., 175

Wu, L. T., 145

© Elsevier Sequoia/Printed in The Netherlands

Subject Index

Aging behaviour
  aging behaviour of a duplex stainless steel, 259
Alloys
  analysis of the earing behaviour of aluminium 3004 alloys by means of a simple model based on yield loci calculated from orientation distribution functions, 115
  effect of cold work on subgrain growth during recovery in Al–0.6Fe alloy, L1
  negative creep in an amorphous metallic alloy, 175
  simple procedure for calculating rockwell hardness conversion relationships for metallic alloys, 209
  structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
  transmission electron microscopy study of fatigue deformation in Fe–25Cr–5Al alloy, 145
Aluminium
  analysis of the earing behaviour of aluminium 3004 alloys by means of a simple model based on yield loci calculated from orientation distribution functions, 115
  effect of cold work on subgrain growth during recovery in Al–0.6Fe alloy, L1
  structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
  transmission electron microscopy study of fatigue deformation in Fe–25Cr–5Al alloy, 145
Amorphous-crystalline selenium
  study of electrical conductivity of amorphous-crystalline selenium mixtures, 287
Amorphous metallic alloy
  negative creep in an amorphous metallic alloy, 175
Amorphous powders
  preparation of Fe–Cr–Mo–C amorphous powders and microstructure and mechanical properties of their hot-pressed products, 101
Argon
  structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
Austenite
  twinning in metastable Fe–Ni–C autenite during elevated temperature deformation, 31
Austenitic steel
  influence of waveform and long hold time on the corrosion fatigue crack growth behaviour of an austenitic steel, 137
Autocatalysis
  initial nucleation sites, autocatalysis and the spread of the martensite burst in Fe–31.9Ni–0.02C, 217

Ball milling
  ball milling of muscovite, L5
Beams
  failure mode maps for foam core sandwich beams, 37

Carbides
  effects of grain boundary carbides on low temperature impact properties of type 316 stainless steel, 73
  effects of grain boundary carbides on the low cycle fatigue properties of type 316 stainless steel, 125
Carbon
  effects of phosphorus on the hydrogen trapping at grain boundaries in low carbon steel, 273
  initial nucleation sites, autocatalysis and the spread of the martensite burst in Fe–31.9Ni–0.02C, 217
  preparation of Fe–Cr–Mo–C amorphous powders and microstructure and mechanical properties of their hot-pressed products, 101
  twinning in metastable Fe–Ni–C austenite during elevated temperature deformation, 31
Cavitation erosion rate
  phenomenological model for cavitation erosion rate computation, 1
Cavity nucleation
  cavity nucleation and growth in a 1%Cr–0.5%Mo steel, 81
Ceramics
  negative thermal expansion ceramics: A review, 303
Chromium
  cavity nucleation and growth in a 1%Cr–0.5%Mo steel, 81
  preparation of Fe–Cr–Mo–C amorphous powders and microstructure and mechanical properties of their hot-pressed products, 101
  transmission electron microscopy study of fatigue deformation in Fe–25Cr–5Al alloy, 145
Cold work
  effect of cold work on subgrain growth during recovery in Al–0.6Fe alloy, L1
Compaction
  structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
Composites
  high temperature fatigue of three nickel-base eutectic composites, 63
Corrosion
  influence of waveform and long hold time on the corrosion fatigue crack growth behaviour of an austenitic steel, 137
Cracks
  comparison of the effects of dislocations around internal and surface cracks on fracture, 167

© Elsevier Sequoia/Printed in The Netherlands

Crack growth
influence of waveform and long hold time on the corrosion fatigue crack growth behaviour of an austenitic steel, 137
Creep
negative creep in an amorphous metallic alloy, 175

D.C. glow discharges
structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
Deformation
twinning in metastable Fe–Ni–C austenite during elevated temperature deformation, 31
Dislocations
comparison of the effects of dislocations around internal and surface cracks on fracture, 167
role of dislocations in the fracture of prestrained AISI 4340 steel, 199

Earing behaviour
analysis of the earing behaviour of aluminium 3004 alloys by means of a simple model based on yield loci calculated from orientation distribution functions, 115
Electrical conductivity
study of electrical conductivity of amorphous-crystalline selenium mixtures, 287
Electrorheology
electrorheology at small strains and strain rates of suspensions of silica particles in silicone oil, 187
Elongation
strain partition, uniform elongation and fracture strain in dual-phase steels, 151
Erosion
phenomenological model for cavitation erosion rate computation, 1
Eutectic composites
high temperature fatigue of three nickel-base eutectic composites, 63

F.C.C. polycrystalline sheets
prediction of tricomponent plane stress yield surfaces and associated flow and failure behaviour of strongly textured F.C.C. polycrystalline sheets, 15
Failure
failure mode maps for foam core sandwich beams, 37
prediction of tricomponent plane stress yield surfaces and associated flow and failure behaviour of strongly textured F.C.C. polycrystalline sheets, 15
Fatigue
effects of grain boundary carbides on the low cycle fatigue properties of type 316 stainless steel, 125
high temperature fatigue of three nickel-base eutectic composites, 63
influence of waveform and long hold time on the corrosion fatigue crack growth behaviour of an austenitic steel, 137
Fatigue deformation
transmission electron microscopy study of fatigue deformation in Fe–25Cr–5Al alloy, 145
Flow
prediction of tricomponent plane stress yield surfaces and associated flow and failure behaviour of strongly textured F.C.C. polycrystalline sheets, 15
Flow localization
flow localization models — A review, 93
Fluid dynamics
fluid dynamics of the formation of thin metal ribbons by rapid quenching from the melt, 281
Foam core sandwich beams
failure mode maps for foam core sandwich beams, 37
Foam core sandwich panels
minimum weight design of foam core sandwich panels for a given strength, 55
Fracture
comparison of the effects of dislocations around internal and surface cracks on fracture, 167
role of dislocations in the fracture of prestrained AISI 4340 steel, 199
Fracture strain
strain partition, uniform elongation and fracture strain in dual-phase steels, 151

Grain boundaries
effects of phosphorus on the hydrogen trapping at grain boundaries in low carbon steel, 273
Grain boundary carbides
effects of grain boundary carbides on low temperature impact properties of type 316 stainless steel, 73
effects of grain boundary carbides on the low cycle fatigue properties of type 316 stainless steel, 125

High temperature fatigue
high temperature fatigue of three nickel-base eutectic composites, 63
Hydrogen
effects of phosphorus on the hydrogen trapping at grain boundaries in low carbon steel, 273
structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225

Impact
effects of grain boundary carbides on low temperature impact properties of type 316 stainless steel, 73
Iron
effect of cold work on subgrain growth during recovery in Al–0.6Fe alloy, L1
initial nucleation sites, autocatalysis and the spread of the martensite burst in Fe–31.9Ni–0.02C, 217
preparation of Fe–Cr–Mo–C amorphous powders and microstructure and mechanical properties of their hot-pressed products, 101
transmission electron microscopy study of fatigue deformation in Fe–25Cr–5Al alloy, 145

twinning in metastable Fe–Ni–C austenite during elevated temperature deformation, 31

Lanthanum
transmission electron microscopy investigations of second phases in the system (La, Sr)ZrO_3, 295

Magnesium
structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
Martensite burst
initial nucleation sites, autocatalysis and the spread of the martensite burst in Fe–31.9Ni–0.02C, 217
Mechanical properties
preparation of Fe–Cr–Mo–C amorphous powders and microstructure and mechanical properties of their hot-pressed products, 101
Metallic alloys
simple procedure for calculating rockwell hardness conversion relationships for metallic alloys, 209
Microstructure
preparation of Fe–Cr–Mo–C amorphous powders and microstructure and mechanical properties of their hot-pressed products, 101
Molybdenum
cavity nucleation and growth in a 1%Cr–0.5% Mo steel, 81
preparation of Fe–Cr–Mo–C amorphous powders and microstructure and mechanical properties of their hot-pressed products, 101
Muscovite
ball milling of muscovite, L5

Nickel
high temperature fatigue of three nickel-base eutectic composites, 63
initial nucleation sites, autocatalysis and the spread of the martensite burst in Fe–31.9Ni–0.02C, 217
twinning in metastable Fe–Ni–C austenite during elevated temperature deformation, 31
Nitriding mechanisms
structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
Nitrogen
structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
Nuclear techniques
quantitative analysis of stainless steel using nuclear techniques, 267
Nucleation
initial nucleation sites, autocatalysis and the spread of the martensite burst in Fe–31.9Ni–0.02C, 217

Orientation distribution functions
analysis of the earing behaviour of aluminium 3004 alloys by means of a simple model based on yield loci calculated from orientation distribution functions, 115
Oxygen
transmission electron microscopy investigations of second phases in the system (La, Sr)ZrO_3, 295

Panels
minimum weight design of foam core sandwich panels for a given strength, 55
Phosphorus
the effects of phosphorus on the hydrogen trapping at grain boundaries in low carbon steel, 273
Polyalkylene glycol
quenching characteristics of polyalkylene glycol solutions in water, 247

Quenching
fluid dynamics of the formation of thin metal ribbons by rapid quenching from the melt, 281
quenching characteristics of polyalkylene glycol solutions in water, 247

Rapid quenching
fluid dynamics of the formation of thin metal ribbons by rapid quenching from the melt, 281
Rockwell hardness
simple procedure for calculating rockwell hardness conversion relationships for metallic alloys, 209

Selenium
study of electrical conductivity of amorphous-crystalline selenium mixtures, 287
Silica
electrorheology at small strains and strain rates of suspensions of silica particles in silicone oil, 187
Silicon oil
electrorheology at small strains and strain rates of suspensions of silica particles in silicone oil, 187
Stainless steels
aging behaviour of a duplex stainless steel, 259
effects of grain boundary carbides on low temperature impact properties of type 316 stainless steel, 73
effects of grain boundary carbides on the low cycle fatigue properties of type 316 stainless steel, 125
quantitative analysis of stainless steel using nuclear techniques, 267
Steels
effects of phosphorus on the hydrogen trapping at grain boundaries in low carbon steel, 273
influence of waveform and long hold time on the corrosion fatigue crack growth behaviour of an austenitic steel, 137
role of dislocations in the fracture of prestrained AISI 4340 steel, 199
strain partition, uniform elongation and fracture strain in dual-phase steels, 151
Strains
electrorheology at small strains and strain rates of suspensions of silica particles in silicone oil, 187
Strain partition
strain partition, uniform elongation and fracture strain in dual-phase steels, 151

Stress
prediction of tricomponent plane stress yield surfaces and associated flow and failure behaviour of strongly textured F.C.C. polycrystalline sheets, 15
Strontium
transmission electron microscopy investigations of second phases in the system (La, Sr)ZrO_3, 295
Subgrain growth
effect of cold work on subgrain growth during recovery in Al–0.6Fe alloy, L1
Surfaces
prediction of tricomponent plane stress yield surfaces and associated flow and failure behaviour of strongly textured F.C.C. polycrystalline sheets, 15

Thermal expansion ceramics
negative thermal expansion ceramics: A review, 303
Thin metal ribbons
fluid dynamics of the formation of thin metal ribbons by rapid quenching from the melt, 281
Transmission electron microscopy
transmission electron microscopy investigations of second phases in the system (La, Sr)ZrO_3, 295
transmission electron microscopy study of fatigue deformation in Fe–25Cr–5Al alloy, 145
Tricomponent plane stress yield surfaces
prediction of tricomponent plane stress yield surfaces and associated flow and failure behaviour of strongly textured F.C.C. polycrystalline sheets, 15
Twinning
twinning in metastable Fe–Ni–C austenite during elevated temperature deformation, 31

Water
on the quenching characteristics of polyalkylene glycol solutions in water, 247

Yield
analysis of the earing behaviour of aluminium 3004 alloys by means of a simple model based on yield loci calculated from orientation distribution functions, 115

Zinc
structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
Zirconium
structures and properties of Mg–Al–Zr and Mg–Zn–Zr alloys produced by liquid dynamic compaction, 225
transmission electron microscopy investigations of second phases in the system (La, Sr)ZrO_3, 295